

IFW 3763

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

U.S. PATENT APPLICATION NO. 09/819,458
FILING DATE 27 March 2001
INVENTOR Geoffrey S. Martin et al.
ASSIGNEE Vas-Cath Incorporated
GROUP ART UNIT 3763
EXAMINER Kevin C. Sirmons
ATTORNEY'S DOCKET NO. 51572.0008
TITLE "Multiple-Lumen Catheter"

TRANSMITTAL LETTER AND CERTIFICATE OF MAILING

To: Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria VA 22313-1450


From: Trent N. Butcher
HOLLAND & HART LLP
P.O. Box 11583
Salt Lake City, UT 84147-0583
(801) 595-7802 office
(801) 364-9124 fax

Enclosed are the items listed below submitted regarding the matter identified above:

1. Transmittal Letter with Certificate of Mailing included;
2. PTO Return Postcard Receipt;
3. Response to Office Action mailed 10 August 2005.

Deposit Account Authorization - The Commissioner is hereby authorized to charge payment of any applicable fees to Deposit Account No. 08-2623.


Date: NOVEMBER 8, 2005

By: 
Trent N. Butcher
Reg. No. 51,518

CERTIFICATE OF MAILING

I hereby certify the items listed above as enclosed are being deposited with the U.S. Postal Service as either first class mail or Express Mail, if the blank for Express Mail No. is completed below, in an envelope addressed to Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the below indicated date.

Date: 11-9-05

Signature: 
Name: Carolyn Lindsey



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

U.S. PATENT APPLICATION NO. 09/819,458
FILING DATE 27 March 2001
INVENTORS Geoffrey S. Martin et al.
ASSIGNEE Vas-Cath Incorporated
GROUP ART UNIT..... 3763
EXAMINER..... Kevin C. Sirmons
ATTORNEY'S DOCKET NO. 51572.0008
TITLE "Multiple-Lumen Catheter"

AMENDMENT

To: Mail Stop AMENDMENT
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

From: Trent N. Butcher
HOLLAND & HART LLP
P.O. Box 11583
Salt Lake City, UT 84147-0583
Telephone: (801) 595-7800
Facsimile: (801) 364-9124

The following amendments and remarks are filed in response to the Examiner's remarks in the Office Action mailed August 10, 2005, the three-month shortened statutory period for response to which expires on November 10, 2005.

Amendments to the Specification are reflected in the listing of claims which begins on page 2 of this paper.

Amendments to the Drawings begin on page 4 of this paper and include both an attached replacement sheet and an annotated sheet showing changes.

Amendments to the Claims are reflected in the listing of claims which begins on page 5 of this paper.

Remarks/Arguments begin on page 10 of this paper.